

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	335	service with point with map	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:10
L2	171	1 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:09
L3	28	service with point with map with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:09
L4	14	3 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:10
L5	196	service adj (map table) with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:11
L6	164	5 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:11
L7	56	service adj (map table) with address with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:13
L8	49	7 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:13
L9	29	service adj (map table) with address with server with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:13
L10	26	9 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:49

EAST Search History

L11	1281	server with multiple with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:49
L12	980	server with multiple with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 11:49
L13	121	server with multiple adj IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 11:49
L14	11	13.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 11:49
L15	0	14 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:50
L16	30	13 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:50
S1	1193	"service provider" with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:01
S2	0	("service provider" with address) with "map or table or chart or lookup"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:34
S3	0	((("service provider" with address) with (map or table or chart or lookup or list)) with manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:12
S4	0	((("service provider" with address) with (map or table or chart or lookup or list)) same manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:35
S5	125	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:13

EAST Search History

S6	0	"service adj address" with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:40
S7	0	"service adj address" same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:40
S8	126	(service adj address) same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:41
S9	60	(service adj address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:54
S10	5600	(user or client) with access with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:56
S11	7093	(user or client) with access\$5 with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:56
S12	19	((user or client) with access with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S13	21	((user or client) with access\$5 with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/21 09:56
S14	3	load with balanc\$6 with target with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:41
S15	0	load with balanc\$6 with target\$2 with removed	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:35
S16	126	load with balanc\$6 with target\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:36

EAST Search History

S17	0	load with balanc\$6 with "all possible"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:37
S18	0	load with balanc\$6 with all	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:37
S19	854	load with balanc\$6 with possible	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:37
S20	0	load with balanc\$6 with all	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:38
S21	13	(load with balanc\$6 with target\$2) and (load with balanc\$6 with possible)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:38
S22	60	load with balanc\$6 with (select\$5 or choose) with service\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:45
S23	1	(load with balanc\$6 with (select\$5 or choose) with service\$1) and (load with balanc\$6 with target\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:45
S24	2	"service provider" with address with backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:55
S25	0	backup with address with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:57
S26	4	backup with address with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:56
S27	2	backup with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 13:59
S28	0	backup with ("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:00

EAST Search History

S29	125	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:06
S30	0	((("service provider" with address) with (map or table or chart or lookup or list)) and alternat	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:00
S31	38	((("service provider" with address) with (map or table or chart or lookup or list)) and alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:01
S32	3	((("service provider" with address) with (map or table or chart or lookup or list)) with alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:01
S33	9	intermittently with generate with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:08
S34	11	(intermittent\$4 or period\$6) with generate with (map or table or chart or lookup or list) with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:08
S35	1	"5951694".pn. and address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 14:34
S36	0	client with value with server with epoch	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:50
S37	2	client with server with epoch	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:51
S38	24	client with server with value with performance	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:51
S39	1	"5951694".pn. and performance	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:54
S40	1	"5951694".pn. and performance and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:56

EAST Search History

S41	1	"5951694".pn. and execut\$8	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:56
S42	1891	map with topograph\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:05
S43	0	map with topograph\$6 with client with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:05
S44	10	map with topograph\$6 with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:05
S45	0	"709"". ""244".ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:12
S46	81	709/244.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:13
S47	1110	370/359.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:13
S48	0	370/359.ccls. and ("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:16
S49	0	370/359.ccls. and (("service provider" with address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:17
S50	165	370/359.ccls. and ((map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 16:17
S51	2	"5951694".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 10:04
S52	1	"5951694".pn. and access\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 10:04

EAST Search History

S53	1	"5951694".pn. and (access\$5 with user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 10:05
S54	1	"5951694".pn. and (access\$5 with user with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 14:54
S55	2	"6520942".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 10:26
S56	0	"5951694".pn. and (transfer\$5 with user with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 14:54
S57	1	"5951694".pn. and (transfer\$5 with gateway with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 14:54
S58	0	email with attachment with handler	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/29 09:56
S59	9	email with open\$4 with attachment	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/29 10:17
S60	11558	(email or e-,mail) with open\$4 with attachment same as URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/29 10:18
S61	2	(email or e-,mail) with open\$4 with attachment same URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/29 10:18
S62	4	((("6209125") or ("6237135"))).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:35
S63	17	((("6209125") or ("6237135") or ("6256772") or ("6298353") or ("6324619") or ("6330006") or ("6438744") or ("6469578") or ("6490722"))).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:37

EAST Search History

S64	58	"0020249"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/30 12:38
S65	0	"0020249"	US-PGPUB	OR	ON	2003/10/30 12:38
S66	4	"0020249"	US-PGPUB; USPAT	OR	ON	2003/10/30 12:38
S67	23251	shim	US-PGPUB; USPAT	OR	ON	2003/10/30 12:38
S68	2305	shim	US-PGPUB	OR	ON	2003/10/30 12:39
S69	0	(2001/0020249).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:39
S70	1	("0020249").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:44
S71	0	("shim.oref").PN.	US-PGPUB; USOCR	OR	OFF	2003/10/30 12:46
S72	0	("20010906.ad. ").PN.	US-PGPUB; USOCR	OR	OFF	2003/10/30 12:46
S73	5944	"20010906".ad.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/30 12:46
S74	0	"shim.oref"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/30 12:46
S75	0	"shim.oref"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/30 12:50
S76	1	("20010020249").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/30 12:51
S77	1665	"service provider" with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:01

EAST Search History

S78	0	(service adj2 (map or list\$6) with client) same ("service provider" with address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:01
S79	207	service adj2 (map or list\$6) with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:02
S80	6	(service adj2 (map or list\$6) with client) with dynamic\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:02
S81	6	(service adj2 (map or list\$6) with client) with dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:03
S82	332	"service map"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:03
S83	46	"service map" with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:19
S84	1007352	service adj\$1 list\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:19
S85	866	service adj1 list\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:19
S86	85	(service adj1 list\$6) with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:20
S87	66	((service adj1 list\$6) with client) and @ad<"20000404"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:20
S88	1	(service adj1 list\$6) with client with local\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 12:21
S89	1	(service adj1 list\$6) with client with stored	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/13 15:10

EAST Search History

S90	0	WO01084358	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/16 10:40
S91	1	marlatt with david	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/16 10:42
S92	14	Abjanic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/16 10:42
S93	71	(service adj map) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:07
S94	71	((service adj map) with client) and ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:01
S95	37	((service adj map) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:07
S96	108	(service adj list) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:13
S97	26	((service adj list) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:09
S98	45	(service adj table) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:13
S99	24	((service adj table) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 16:13

EAST Search History

S10 0	2	"5951694".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:11
S10 1	0	S100 and service with (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:12
S10 2	1	S100 and (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 11:12
S10 3	2	"6738382".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 16:19
S10 4	2	"5951694".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 09:51
S10 5	1	S104 and map	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 09:56
S10 6	1	S104 and (map with locat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:57
S10 7	45	((("5,852,722") or ("5,901,352") or ("5,933,646") or ("6,067,568") or ("6,173,326") or ("6,215,855") or ("6,249,578") or ("6,279,125") or ("6,285,983") or ("6,289,381") or ("6,381,742") or ("6,459,773") or ("6,463,079") or ("6,470,074") or ("6,529,511") or ("6,560,213") or ("6,560,704") or ("6,564,377") or ("6,636,329") or ("6,636,505") or ("6,640,239") or ("6,684,242"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 10:57
S10 8	2	("6704927").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 10:58

EAST Search History

S10 9	167	("4184200" "4280176" "4432057" "4493024" "4799153" "4799156" "4800488" "4858117" "4899136" "4914571" "5079765" "5113499" "5140689" "5151989" "5187790" "5247676" "5257369" "5265250" "5291597" "5307490" "5321841" "5329619" "5341477" "5347632" "5355497" "5367621" "5371852" "5388255" "5396626" "5423003" "5434994" "5444848" "5455932" "5463625" "5473599" "5475819" "5481720" "5483652" "5490270" "5491800" "5491817" "5491820" "5497463" "5499342" "5500929" "5513314" "5515508" "5526491" "5530852" "5544313" "5544327" "5548724" "5548726" "5553239" "5553242" "5559969" "5564043" "5572643" "5581753" "5592611" "5596579" "5596744" "5608865" "5608903" "5617568" "5617570" "5619632" "5650994" "5666519" "5675723" "5675796" "5696895" "5774668").PN. OR ("5951694"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 13:06
S11 0	195	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S11 1	165	S110	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 13:06
S11 2	200	(service adj address) same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S11 3	160	S112	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 13:06
S11 4	100	(service adj address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S11 5	71	S114	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 13:06

EAST Search History

S11 6	30	((user or client) with access with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S11 7	30	S116	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S11 8	3	backup with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S11 9	3	S118	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S12 0	51	((("service provider" with address) with (map or table or chart or lookup or list)) and alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S12 1	51	S120	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S12 2	2	"5951694".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S12 3	1	S122 and (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S12 4	1	S123	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:06
S12 5	10	"9903036"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:24
S12 6	0	S125 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:25

EAST Search History

S12 7	83	client with routing with table with service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:34
S12 8	21	S127 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:35
S12 9	269	client with access with list with service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:34
S13 0	269	client with access with list with service with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:35
S13 1	8	client with access with list with service with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:35
S13 2	8	client with access with list with service with (table map)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:35
S13 3	59	client with access with (list map) with service with (table map)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:35
S13 4	12	S133 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:48
S13 5	0	access\$3 with address with "on client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 18:54
S13 6	0	access\$3 with map with "on client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 18:54

EAST Search History

S13 7	0	map with "on client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 18:55
S13 8	0	map with "on the client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 18:55
S13 9	202	locate\$2 with client with proxy	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:49
S14 0	131	S139 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:49
S14 1	27	locate\$2 with client with proxy with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:49
S14 2	14	S141 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 16:49
S14 3	0	bookmark with corresponding with address with browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:16
S14 4	0	bookmark with corresponding with browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:16
S14 5	1330	bookmark with browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:17
S14 6	60770	correspond\$6 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:16

EAST Search History

S14 7	110	S145 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:16
S14 8	262	S145 same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:17
S14 9	30	S148 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:17
S15 0	6	S149 and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:18
S15 1	38	"6078960"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 11:26
S15 2	2	"6078960".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 13:49
S15 3	1	S152 and services	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 13:49
S15 4	1	S152 and services	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 13:52
S15 5	1	S152 and service with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 13:52
S15 6	1	S152 and service with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 14:13
S15 7	1	S152 and request	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 14:38

EAST Search History

S15 8	0	S152 and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 14:38
S15 9	0	S152 and alternat	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 14:38
S16 0	0	S152 and alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 14:39
S16 1	1	S152 and alternative	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 14:39
S16 2	2	"2001117932"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 14:52